



**Council Chambers  
436 East 22<sup>nd</sup> Ave.  
Torrington, WY**

**City Council Agenda  
Monday Nov. 14<sup>th</sup>, 2016  
7:00 P.M.**

**\* Call the meeting to order.**

**\* Pledge of Allegiance.**

**\* Mayor's Correspondence:**

**\* Approval of the Consent Agenda which includes:**  
The minutes from the 11-01-16 Council Meeting as published.

**\* Approval of the Agenda.**

**\* Public Forum.**

For Non Agenda items, there is a time limit of 2 minutes and the speaker must sign up before the meeting. This is a time for the Council to listen, NO ACTION WILL BE TAKEN.

**Action Items:**

**1) Proclamation:**

Declaring November 14-20<sup>th</sup>, 2016 as Wyoming Apprenticeship Week.  
Staff Reference: Dana Youtz, Electrical Supervisor

**2) Proclamation:**

Declaring November 26, 2016 as Small Business Saturday.

**3) Vyve Cable TV Franchise.**

Mayor Varney is recommending a six month extension of the franchise. If approved the franchise will expire on May 31<sup>st</sup>, 2017.

**4) Ordinance 2<sup>nd</sup> Reading.**

Relating to Vicious Animals.  
Staff Reference: Jim Eddington, City Attorney

**5) Ordinance 2<sup>nd</sup> Reading.**

Relating to the adoption of the 2015 International Building Codes.  
Staff Reference: Dennis Estes, Building Official

**6) 2017 Golf Rates and Fees.**

Staff Reference: David Dent, Golf Pro

Golf Rates.

- Senior and Senior Couple Rates.
- Fee for Annual Golf Cart Lease.

**7) Approval of the bills from 11-02-16 to 11-14-16.**

Staff Reference: Lynette Strecker, Clerk/Treasurer

**8) Adjourn.**



**WHEREAS**, we are at a time when the nation needs skilled workers, apprenticeship helps Wyoming compete more effectively in the global economy, and contributes to Wyoming's economic development, sustained growth, and state security; and,

**WHEREAS**, this earn-while-you-learn model ensures higher earnings for apprentices and a highly skilled workforce. Apprenticeship USA ensures quality training by combining on-the-job training with theoretical instruction; and,

**WHEREAS**, today in Torrington, there are two employers offering Registered Apprenticeship training to active apprentices; and,

**WHEREAS**, over the years, thousands of individuals have completed their registered apprenticeship throughout Wyoming in both union and non-union programs; and,

**WHEREAS**, the demand for skilled workers will continue to increase, Registered Apprenticeship is a time tested and proven method of ensuring that the demand can be met, not only in Wyoming, but nationwide as well. Apprenticeship USA will endeavor to keep Wyoming on the cutting edge of economic growth throughout the 21<sup>st</sup> century; and,

**WHEREAS**, November 14-20, 2016 has been proclaimed "NATIONAL APPRENTICESHIP WEEK" by the President of the United States of America;

**Now, Therefore, I, Michael E. Varney**, Mayor of the City of Torrington do hereby declare November 14-20, 2016 as

**"Wyoming Apprenticeship Week"**

**IN WITNESS WHEREOF**, I have hereunto set my hand and caused the official seal of the City of Torrington to be affixed this \_\_\_\_\_ day of November, 2016.

---

Michael E. Varney, Mayor



**Whereas**, the government of Torrington, Wyoming celebrates our local small businesses and the contributions they make to our local economy and community; according to the United States Small Business Administration, there are currently 28.8 million small businesses in the United States, they represent 99.7 percent of all businesses with employees in the United States, are responsible for 63 percent of net new jobs created over the past 20 years, and

**Whereas**, small businesses employ over 49 percent of all businesses with employees in the United States; and

**Whereas**, 89 percent of consumers in the United States agree that small businesses contribute positively to the local community by supplying jobs and generating tax revenue; and

**Whereas**, 87 percent of consumers in the United States agree that small businesses are critical to the overall economic health of the United States; and

**Whereas**, 93 percent of consumers in the United States agree that it is important for people to support the small businesses that they value in their community; and

**Whereas**, Torrington, Wyoming supports our local businesses that create jobs, boost our local economy and preserve our neighborhoods; and

**Whereas**, advocacy groups as well as public and private organizations across the country have endorsed the Saturday after Thanksgiving as Small Business Saturday.

**Now, Therefore**, I, Michael Varney, Mayor of Torrington, Wyoming do hereby proclaim, November 26, 2016, as:

***SMALL BUSINESS SATURDAY***

**And** urge the residents of our community, and communities across the country, to support small businesses and merchants on Small Business Saturday and throughout the year.

\_\_\_\_\_  
DATE

\_\_\_\_\_  
MICHAEL VARNEY, MAYOR

AN ORDINANCE AMENDING AND RE-ENACTING SECTION  
6.04.420 OF THE TORRINGTON MUNICIPAL CODE, 2016  
REVISIONS, RELATING TO VICIOUS ANIMALS.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF TORRINGTON,  
WYOMING:

Section 1: That Section 6.04.420 of the Revised Ordinances of the City of Torrington, Wyoming, 2016 Revisions, be and it is hereby amended to read as follows:

Section 6.04.420 Vicious animals.

A. Vicious animals prohibited: Any animal that constitutes a physical threat to any human being or to any other animal, by biting, clawing, attacking, lunging toward, growling, barking, baring teeth or otherwise acts in a menacing manner toward or at any human being or other animal, or if any of the aforementioned acts or conduct is attempted toward or at any human being or other animal, it is a violation of this section and the owner or custodian of said vicious animal shall be guilty of a misdemeanor and fined no more than \$750.00 plus \$10.00 court costs if convicted.

B. No animals may be declared a vicious animal if the animal was protecting or defending a human being within the immediate vicinity of the animal from unjust attack or assault.

C. No person shall own or harbor any vicious animal for the purpose of fighting, or use any animal for the purpose of causing or encouraging unprovoked attacks upon human being or domestic animals.

D. Upon conviction of a person for harboring a vicious dog in violation of this section, it shall appear to the court that the dog is living, the court may, in addition to punishment provided for violation of this section, order the animal control officer or any officer to forthwith cause the dog to be humanely destroyed, and for this purpose any such officer charged with such duty shall have the right to enter upon any premises within the City of Torrington.

E. This section shall not apply to dogs owned by law enforcement agencies.

F. The owner of any dog deemed vicious by a court of competent jurisdiction, shall have that animal spayed or neutered, at the owners expense, within 30 days of the determination that the dog is vicious, if such animal is not currently spayed or neutered, and shall show proof of such to the court within 45 days of the determination.

Section 2: This ordinance shall be in full force and effect from and after its passage and approval and publication as required by law.

Passed and approved on first reading the 1st day of November, 2016.

Passed and approved on second reading the 14th day of November, 2016.

Passed and approved on third and final reading the 6th day of December, 2016.

---

Mayor

ATTEST:

---

City Clerk/Treasurer

ORDINANCE NO

**AN ORDINANCE AMENDING AND RE-ENACTING TITLE 15 OF  
THE TORRINGTON MUNICIPAL CODE, 2006 2016 REVISIONS,  
RELATING TO 2015 INTERNATIONAL BUILDING CODES.**

**BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF TORRINGTON, WYOMING:**

**Section 1.** That Chapter 15.02.010 of the Revised Ordinances of the City of Torrington, Wyoming, 2006 2015 Revisions, be and it is hereby created to read as follows:

**15.02.010 Building official--Generally.**

There is created the office of the building official. The mayor shall designate a representative to act as the building official.

**15.02.020 Building official--Recordation.**

The building official shall keep complete records of all permits issued and inspections made and other official work performed under the provisions of this title.

**Section 2.** That Chapter 15.04 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.04.010 Adoption of Uniform Codes by reference.**

1. The purpose of this chapter is to protect the health and safety of the public by regulating the construction, alteration, repair, demolition, and moving of buildings and structures within the city.

2. The following Codes in the editions noted are hereby adopted by reference with certain amendments and deletions thereto found to be in the best interest of the residents of the city:

- A. 2006 2015 edition of the International Residential Code for One- and Two-Family Dwellings;
- B. 2006 2015 edition of the International Building Code;
- C. 2006 2015 edition of the International Existing Building Code;
- D. 2006 2015 edition of the International Sign Code;
- E. 2006 2015 edition of the International Fire Code;
- F. 2006 2015 edition of the International Energy Conservation Code;
- G. 2006 2015 edition of the International Plumbing Code;
- H. 2006 2015 edition of the International Fuel Gas Code; and the
- I. 2006 2015 edition of the International Mechanical Code; all as published by the International Code Council; and the
- J. 2008 2015 edition of the National Electrical Code, published by the National Fire Protection Association; and the
- K. 1997 edition of the Uniform Code for the Abatement of Dangerous Buildings, also as published by the International Code Council.

**15.04.020 Adoption.**

The 2006 2015 International Residential Code for One- and Two-Family Dwellings, including Appendix Chapters E MANUFACTURED HOUSING USED AS DWELLINGS, F PASSIVE RADON GAS CONTROL METHODS, G PIPING STANDARDS FOR VARIOUS APPLICATIONS, H PATIO COVERS, J EXITING BUILDINGS AND STRUCTURES K SOUND TRANSMISSION, L PERMIT FEES, and M HOME DAY CARE- R-3 OCCUPANCY N VENTING METHODS R LIGHT STRAW-CLAY CONSTRUCTION S STRAWBALE CONSTRUCTION are adopted by reference and have the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.030 Section R101.1 amended--Title.**

The first paragraph of Section R101.1 is amended to read as follows:

These provisions shall be known as the Residential Code for One- and Two-Family Dwellings of the City of Torrington, and shall be cited as such and will be referred herein as "this code."

**15.04.040 Sections R102 through R114 amended--Administration.**

Sections R102 through R114 are deleted in their entirety.

This code shall be administered in accordance with Chapter 1, Administration of the International

Building Code as adopted and amended by this chapter.

**15.04.050 Table R301.2 (1) amended--Climatic and geographic design criteria.**

Table R301.2 (1), "Climatic and Geographic Design Criteria," is amended to read as follows:

- Ground snow load = 30 psf (1.44 kN/m<sup>2</sup>)
- Wind speed = 90 mph (40 m/s) (3-second gust), Exposure category "C"
- Seismic design category = Site Class C
- Weathering = Severe
- Frost line depth = 44" 42"
- Termite = none to slight
- Decay = none to slight
- Winter design temperature = -1° F (-18° degrees C)
- Ice shield underlayment required = No
- Flood hazards = FIRM Community Panel #560023, December 11, 1985
- Air freezing index = 1500
- Mean annual temperature = 48.3° F (9.1° C)

**15.04.060 Chapter 11 amended--Energy efficiency.**

Chapter 11 is deleted in its entirety.

Buildings shall be designed and constructed in accordance with the 2006 2015 International Energy Conservation Code.

**15.04.070 Section M1601.1.1 amended--Above-ground duct systems.**

Item 2 of Section M1601.1.1 is amended to read as follows:

- 2. ~~Factory-made air ducts shall be constructed of Class (O) or Class 1 materials as designated in Table M1601.1.1(1). Flexible connectors are limited to toilet room and bathroom systems only.~~

**15.04.080 Section M2003.1 amended--Expansion tanks--General.**

The first sentence of Section M2003.1 is amended to read as follows:

~~Hot water boilers and water heaters shall be provided with thermal expansion tanks.~~

**15.04.090 Section G2407.6 (304.6.1) amended--Outdoor combustion air.**

Add a sentence to the end of Section G2407.6 (304.6.1) to read as follows:

~~The room in which the appliances are receiving outdoor combustion air must be thermally isolated from the conditioned space of the dwelling unit or such outside air shall be conditioned prior to entering the dwelling unit or room in which the appliance served is located.~~

**15.04.100 Section G2445.4 G2445 (621) amended--Unvented Room Heaters.**

Section ~~G2445.4 G2445.7~~ (621.4) is amended to read as follows:

~~Unvented room heaters may not be located in or obtain combustion air from bedrooms or rooms readily used for sleeping purposes, bathrooms, toilet rooms or storage closets.~~  
Section **G2445 (621)** is amended to read as follows:

Unvented room heaters shall not be installed within residential occupancies, or within Groups A, E and I occupancies, or within any sleeping room or room readily used for sleeping purposes, or in any bathroom, toilet room or storage closet. Unvented room heaters may be installed in detached U occupancies associated with residential occupancies. The location of unvented room heaters shall also comply with Section 303.3 of the 2015 IMC.

*[Correct the section number that changed between editions and clarify that the intent]*

**15.04.110 Section P2603.6.1 P2603.5.1 amended--Sewer depth.**

Add new sentence at the end of Section P2603.6.1 P2603.5.1 to read as follows:

All building sewers shall be a minimum of 44 42 inches (1118 1066.8 mm) below the finished grade, unless existing conditions do not allow such depth, or shall be protected from freezing as specifically approved by the building official.

*[Correct the section number that changed between editions.]*

**15.04.120 Section P2904.1 amended--Dwelling Unit Fire Sprinkler Systems**

Replace the title and first sentence of Section P2904.1.1 to read as follows.

**P2904.1.1 Required sprinkler locations:** SPRINKLERS. Sprinklers shall be installed to protect all areas of a dwelling unit. WHERE SPRINKLERS ARE INSTALLED AS AN OPTION, THEY SHALL BE INSTALLED IN ACCORDANCE WITH THIS CODE TO PROTECT ALL AREAS OF A DWELLING UNIT.

*[Add new section and Deletes the requirement for fire sprinklers in one-and-two family dwellings and requires that any sprinklers installed as an option must be installed to comply with the code.]*

**15.04.125 P2904.4 P2906.5 amended--Water service pipe.**

Section P2904.4 P2906.4 is amended to read as follows:

Water service pipe shall be Eagle Pure-Core, CTS 200 psi @ 23° C, SDR 9, ASTM D2737, PE 3408, C3 AWWA C-901, or equal, with a minimum bury depth of 5-0" (1524 mm) for protection against freezing. Piping shall terminate such that it will allow installation of a water meter within 5 feet (1524 mm) of where the piping enters the building or penetrates a slab on grade. Access to the water meter must be provided within 5 feet, unless otherwise approved by the building official.

*[Corrects section numbers that changed between editions.]*

**15.04.130 Section P3103.1 amended--Vent terminals--Roof extensions.**

Section P3103.1 is amended to read as follows:

All open vent pipes which extend through a roof shall be terminated at least 12 inches (305 mm) above the roof or 6 inches (152 mm) above the anticipated snow accumulation, except that where a roof is to be used for any purpose other than weather protection, the vent extensions shall be

run at least 7 feet (2134 mm) above the roof.

**15.04.140 Chapters 34 through 42 43 deleted--Electrical.**

Chapters 33 34 through 42 43 of the International Residential Code are deleted in their entirety. Electrical installations shall be as required by the National Electrical Code as adopted and amended by this chapter.

*[Corrects section numbers that changed between editions.]*

**15.04.150 Sections AE301 through AE303 amended--Permits.**

Sections AE301 through AE303 are deleted in their entirety.

This code shall be administered in accordance with Chapter 1, Administration, of the International Building Code, as adopted and amended by this chapter.

**15.04.200 Adoption.**

The ~~2006~~ 2015 International Building Code, including Appendix Chapters C GROUP U- AGRICULTURAL BUILDINGS, E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS, H SIGNS, I PATIO COVERS, and J GRADING, are adopted by reference and have the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.210 Section 101.1 amended--Title.**

The first paragraph of Section 101.1 is amended to read as follows:

These regulations shall be known as the Building Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.220 Section 102.4. amended--Referenced codes.**

Section 102.4 is amended to read as follows:

The other codes listed in Sections 101.4.1 through 101.4.7 and referenced and amended elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and amendment thereto.

~~**15.04.230 Section 101.4.1 amended--Electrical.**~~

~~Section 101.4.1 of the International Building Code is amended to read as follows.~~

~~The provisions of the National Electrical Code shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings, and appurtenances thereto. Wherever the term ICC Electrical Code appears in the code, it shall be replaced with National Electrical Code.~~

*[Not in Current code.]*

~~**15.04.240 Section 101.4.5 4 amended--Property maintenance.**~~

~~Section 101.4.5 4 is deleted in its entirety.~~

*[Not in Current code.]*

**15.04.250 Section 104.8 amended--Liability.**

Add a new paragraph at the end of Section 104.8 to read as follows:

The city assumes no duty of care by virtue of the adoption or amendment of this code. No person is justified in relying upon the approval of a plan, the results of an inspection, or the issuance of a certificate of inspection or occupancy, and such approvals, inspections, and certificates are not a guarantee that the plan or work so approved, inspected or certified in fact complies with all the requirements of this code. It is the duty of the person owning, controlling, or constructing any building or structure to insure that the work is done in accordance with this code, and it is such persons and not the city who are responsible for damages caused by negligent breach of such duty.

**15.04.255 Section 105.2 amended—Work Exempt from Permit.**

Add to the end of Section 105.5-2(1) (2) to read as follows:

- (1) Floor area not greater than 420 sf to 200 sf.
- (2) Fences not over 7 6 feet high.

*[Add new section and Deletes the requirement for 120 sf to 200 sf. and removes fence height requirement to comply with section 18.96.030 of the Torrington Municipal Code.]*

**15.04.260 Section 105.5 amended--Expiration.**

Add a new paragraph to the end of Section 105.5 to read as follows:

Every permit issued by the building official under the provisions of this code shall expire by limitation and become null and void if the building or work authorized by such permit is not completed and approved for occupancy within three years from the date the permit was issued, or three years from the effective date of the ordinance codified under this section, whichever is later. In order to renew or extend a permit, the applicant shall submit a new permit application with all required submittal documents showing compliance with the codes in effect at the time the new application is received. New permit and plan review fees may be prorated based on the amount of work completed under a previous expired permit.

**15.04.270 Section 108.3 amended--Temporary power.**

Section 407-3 108.3 is amended to read as follows:

The building official is authorized to give permission to temporarily supply and use power in part of an electrical installation before such installation has been fully completed and approved. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in the National Electrical Code.

**15.04.280 Section 408-2 109.2 amended--Schedule of permit fees.**

Section 408-2 109.2 is amended to read as follows:

The fee for each permit shall be as set forth in Appendix L of the International Residential Code. The total building valuation may be reduced by the building official in an amount equal to the valuation included under other permits issued for other elements or systems in the building or structure.

~~408-2-4~~ 109.2.1 Plan Review Fees: Plan review fees are separate fees and are independent of the permit fees. Plan review fees shall be 67% of the permit fees listed in the referenced Appendix L. When submittal documents are incomplete or changed so as to require additional plan review, or when the project involves deferred submittal items, an additional plan review fee shall be charged at the rate shown in the schedule. Not more than 80% of plan review fees may be refunded after plan submittal but before any portion of the plan has been reviewed. Plan reviews expire 180 days after comments are provided. After expiration, the applicant shall resubmit plans and pay a new plan review fee.

~~408-2-2~~ 109.2.2 Fee Credit: Building permit fees may be credited up to the value of the plan review fee with the balance of the fee paid at the time of permit issuance.

~~408-2-3~~ 108.2.3 Fee Refunds: 100% of fees which are erroneously paid or collected may be refunded. Not more than 80% of a building permit fee may be refunded when no work has been done under a permit issued in accordance with this code. Written requests for fee refunds must be made not later than 180 days after the payment of the fee.

*[Adds section numbers.]*

**15.04.290 Section 113 amended--Board of appeals.**

Section 113 is amended to read as follows:

~~442-4~~ 113.1 General. In order to hear and decide appeals of Administrative Enforcement Orders, decisions or determinations made by the building official relative to the application of this code, there shall be and is hereby created a Board of Appeals. The Board of Appeals shall be appointed by the governing body and shall hold office at its pleasure. The Board shall adopt rules of procedure for conducting its business in accordance with the Administrative Procedure Act under the Wyoming State statutes. The membership of the Board shall consist of five persons, no fewer

than three of which shall be residents of the city.

~~412.2~~ **113.2** Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The Board shall have no authority to waive requirements of this code.

~~412.3~~ **113.3** Qualifications. The Board of Appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

*[Corrects section numbers that changed between editions.]*

**15.04.300 Section ~~413.4~~ **114.1** amended--Unlawful acts.**

Add sentence to the end of Section ~~413.4~~ **114.1** to read as follows:  
Violations of this code are punishable as provided by Chapter 1.12.030 of the Torrington Municipal Code.

*[Corrects section numbers that changed between editions.]*

**15.04.310 Section **1608.1** amended--Snow loads--General.**

Section 1608.1 is amended to read as follows:

The minimum roof snow load shall be thirty pounds per square foot (1.44 kN/m<sup>2</sup>), but the design roof load shall not be less than that determined by Section 1607.

**15.04.320 Section **1608.2** amended--Ground snow loads.**

Section 1608.2 is amended to read as follows:

The minimum ground snow loads to be used in determining the design snow loads for roofs shall be 30 psf (1.44 kN/m<sup>2</sup>).

**15.04.330 Section **1609.3** amended--Basic wind speed.**

Section 1609.3 is amended to read as follows:

The basic wind speed (3-second gust) for the city shall be 90 mph (40 m/s), or as otherwise determined by ASCE 7, Figure 6-1 when using the provisions of ASCE 7.

**15.04.340 Section **1609.4** amended--Exposure category.**

The first paragraph of Section 1609.4 is amended to read as follows:

For each wind direction considered, an exposure category that adequately reflects the characteristics of ground surface irregularities shall be determined for the site at which the building or structure is to be constructed, however the exposure category shall be not less than Exposure C.

**15.04.350 Section ~~1805.2.4~~ **1809.5** amended--Frost protection.**

Add new sentence to the end of Section ~~1805.2.4~~ **1809.5.1** to read as follows:

The minimum frost depth shall be not less than 44" 42"(1118 mm) below finished grade.

*[Corrects section numbers that changed between editions.]*

**15.04.360 Section ~~3410.1~~ amended--Compliance alternatives--Compliance.**

Add new sentence to the end of Section ~~3410.1~~ to read as follows:

The International Existing Building Code is a compliance alternative.

**15.04.370 Section 3410.2 amended--Compliance alternatives--Applicability.**

The first sentence of Section 3410.2 is amended to read as follows:

~~Structures existing prior to April 02, 1963, in which there is work involving additions, alterations or changes of occupancy, shall be made to conform to the requirements of this section or the provisions of Sections 3403 through 3407.~~

*[No longer in code]*

**15.04.380 Section J103.2 amended--Permits required--Exemptions.**

Add exemption 8 to Section J103.2 to read as follows:

A grading permit is not required for subdivision development where an approved plan or subdivision agreement is in place, or where written approval has otherwise been obtained for work located entirely within a public right-of-way when approved by the city engineer.

**15.04.400 Adoption.**

The 2006 2015 International Existing Building Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.410 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Existing Building Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.420 Section 101.2 amended--Scope.**

Add new sentence to the end of Section 101.2 to read as follows:

The provisions of the National Electrical Code shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto. Wherever the term ICC Electrical Code appears in the code, it shall be replaced with National Electrical Code.

**15.04.430 Sections 103 through 115 amended--Administration.**

Sections 103 through 115 is deleted in its entirety.

This code shall be administered in accordance with Chapter 1, Administration of the International Building Code as adopted and amended by this chapter.

**15.04.440 Section 4204.2 1401.2 amended--Compliance alternatives--Applicability.**

The first sentence of Section 4304.2 1401.2 of the International Existing Building Code is amended to read as follows.

Structures existing prior to April 02, 1963, in which there is work involving additions, alterations or changes of occupancy, shall be made to conform to the requirements of this section or the provisions of Chapters 4 through 42 13.

*[Corrects section numbers that changed between editions & add chapter 13.]*

**15.04.500 Adoption.**

The 2006 2015 International Fire Code, including Appendix B Fire Flow requirements, C Fire Hydrant Locations and Distribution, D Fire Apparatus Access Roads, E Hazard Categories, F Hazard Ranking, G Cryogenic Fluids, I Fire Protection Systems-Non Complaint Conditions, J Building Information Sign is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.510 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Fire Code of the City of Torrington, hereinafter referred to as "this code."

**15.04.520 Section 402-6 102.7 amended--Reference codes and standards.**

Section 402-6 102.7 of the International Fire Code is amended to read as follows:

The referenced National Fire Protection Association (NFPA) standards listed in Chapter 45 80 of the International Fire Code shall be the adopted standard for use within the jurisdiction. The most recently published edition of each individual NFPA standard listed in Chapter 45 80 shall be recognized as standards of good practice which may be enforced by the fire code official whenever other provisions of the code are, at the fire code official's discretion, inadequate or inapplicable to any situation involving the protection of persons and property from the hazards of fire or explosions. All references to the ICC Electrical Code shall be changed to the National Electrical Code as adopted and amended by this chapter. referred to as "this code."

*[Corrects section numbers that changed between editions and changed reference chapter from 45 to 80.]*

**15.04.530 Section 103 amended--Department of Fire Prevention.**

Section 402-6 103.1 of the International Fire Code is amended to read as follows:

The building official shall be responsible for the implementation, administration and enforcement of the provision of this code. Everywhere the term "fire code official" is used in this code the same shall be meant to be the building official.

*[Corrects section number.]*

**15.04.540 Section 104.1 amended--Enforcement.**

Section 104.1 of the International Fire Code is amended to read as follows:

This code shall be enforced by the building official when not superseded by the State of Wyoming Department of Fire Prevention and Electrical Safety.

**15.04.550 Section 105 amended--Permits.**

Section 105 is deleted in its entirety.

**15.04.560 Section 107.6 amended--Overcrowding.**

Section 107.6 of the International Fire Code is amended to read as follows:

Overcrowding or admittance of any person beyond the approved capacity of a building or a portion thereof shall not be allowed. The fire code official or designee, upon finding any overcrowding conditions or obstructions in aisles, passageways or other means of egress, or upon finding any condition which constitutes a life safety hazard shall be authorized to cause the event to be stopped until such condition or obstruction is corrected and/or a sworn peace officer may issue a written citation of violation.

*[Corrects section numbers that changed between editions.]*

**15.04.570 Section 409-2 109.3 amended--Notice of violation.**

Section 409-2 109.3 of the International Fire Code is amended to read as follows:

When the fire code official finds a building, premises, vehicle, storage, facility or outdoor area that is in violation of this code, the fire code official or designee is authorized to prepare a written notice of violation describing the conditions deemed unsafe and, when compliance is not immediate, specifying a time for re-inspection. If the violation is an immediate life safety hazard, including but not limited to overcrowding or an obstructed egress pathway, the fire code official or designee may request a sworn peace officer to issue a written citation of violation for non-compliance, in addition to any other action, permitted under this code by the fire code official or designee.

*[Corrects section numbers that changed between editions.]*

**15.04.580 Section 409-3 109.4 amended--Violation penalties.**

Section ~~409.3~~ 109.4 is amended to read as follows:

Persons who shall violate a provision of this code or shall fail to comply with any the requirements thereof or who shall erect, install, alter, repair or do work in violation of the approved construction documents or directive of the fire code official, or of a permit or certificate used under provisions of this code, shall be guilty of a misdemeanor, punishable by a fine not less than fifty dollars nor more than seven hundred fifty dollars in accordance with Chapter 1.12.030 of the Torrington Municipal Code. Each day that a violation continues shall be deemed a separate offense.

**15.04.590 Section 111.4 amended--Failure to comply.**

Section 111.4 is amended to read as follows:

Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code.

**15.04.600 Section 202 amended--General Definitions.**

Section 202 of the International Fire Code is amended to read as follows:

FIRE CODE OFFICIAL. The Building Official.

**Look at Chapter 3 of the IFC Emergency Preparedness Requirements (All New)**

**15.04.610 Sections ~~508.3~~ 507.3 amended--Fire flow.**

Section ~~508.3~~ 507.3 is amended to read as follows:

A. An approved water supply capable of supplying required fire flow for fire protection shall be provided to all premises upon which facilities, buildings or portions of buildings are hereafter constructed or moved into or within the jurisdiction. When any portion of the building protected is in excess of 150 feet, as measured by an approved route around the exterior of the facility or building, from a public street or approved fire department access roadway on which a water supply meeting requirements is provided there shall be provided, when required by the Building Official, on-site fire hydrants and mains capable of supplying the required fire flow.

B. Water supply may consist of reservoirs, pressure tanks, elevated tanks, water mains or other fixed system capable of supplying their required fire flow. Minimum standards for fire flow shall be as follows:

1. Zones CS, C1, C2, C3, I1, I2, and IP - 4,000 gallons per minute;
2. Zones R4, R5, R6, R6A, and C1A - 3,000 gallons per minute; and
3. Zones AL, RS, R1, R2, R2A, R3, and MP - 1,500 gallons per minute

*[Corrects section numbers that changed between editions.]*

**15.04.620 Sections ~~508.5~~ 507.5 amended--Fire hydrant systems.**

Section ~~508.5~~ 507.5 is amended to read as follows:

A. The location, number and type of fire hydrants connected to a water supply capable of delivering the required fire flow shall be provided on the public street or on the site of the premises to be protected as required and approved by the Building Official. All hydrants shall be accessible to the fire department apparatus by roadways meeting the requirements of International Fire Code.

B. Section ~~503~~ 507.5 Minimum standards for placement and spacing of fire hydrants shall be as follows:

1. Zones AL, RS, R1, R2, R2A, R3, and MP - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 400 feet from a fire hydrant. Fire hydrants shall be placed no more than 800 feet apart.
2. Zones R4, R5, R6, R6A, and C1A - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 250 feet from a fire hydrant. Fire hydrants shall be placed no more than 500 feet apart.
3. Zones CS, C1, C2, C3, I1, I2, and IP - no point on a city street or approved fire department vehicle access roadway serving the structure shall be more than 200 feet

from a fire hydrant. Fire hydrants shall be placed no more than 400 feet apart.

4. Hydrants shall be placed at intersections whenever possible.
5. When on a divided highway, a hydrant shall be placed on each side of said highway.
6. Fire hydrants shall be placed no more than 1,000 feet apart along roadways serving undeveloped areas whenever new water lines are laid or old water lines replaced.
7. Before any construction involving combustible materials in any subdivision may begin:
  - a. All fire hydrants shall be operational, shall have been flushed and operated, and shall have been inspected and approved by City of Torrington Water or Engineering Department inspectors; and
  - b. Streets shall be provided with all-weather driving surfaces able to support the imposed weight fire department apparatus.
8. Fire hydrants shall be installed and maintained so that the breakaway flange is within two inches of the finished grade.
9. The Building Official, or other fire code official as appointed and approved by the Mayor, shall determine fire flow and duration requirements for structures based upon standards contained in 2006 International Fire Code Appendix B and/or the Insurance Service Office Commercial Grading Schedule. Installation and material specifications for fire lines and fire hydrants shall be in accordance with Torrington Public Works standards as determined by the City Engineer.
10. Appendix Chapters B (Fire Flow Requirements for Buildings) and C (Fire Hydrant Locations and Distribution) of the 2006 International Fire Code shall be recognized as standards of good practice which may be enforced by the Building Official, or other fire code official as appointed and approved by the Mayor, whenever other provisions of the code are, at the determining official's discretion, inadequate or inapplicable to any situation involving the protection of persons and property from the hazards of fire or explosions.

*[Corrects section numbers that changed between editions.]*

**15.04.630 Section 3204.3.1.1 5504 amended--Storage--Location.**

Add the following paragraph to the end of Section 3204.3.1.1 5504.1 to read as follows:

The limits in which the storage of flammable cryogenic fluids in stationary containers is prohibited in these zones are established as follows: AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.640 Section 3304.2.3 5601.2.3 amended--Permit restrictions--Storage of explosives and blasting agents.**

Section 3304.2.3 5601.2.3 is amended to read as follows:

Storage of explosives and blasting agents is prohibited within the corporate limits of the city.

*[Corrects section numbers that changed between editions.]*

**15.04.650 Section 3404.2.9.5.4 5704.2.9.5 amended--Storage--Locations where above-ground tanks are prohibited.**

Add the following paragraphs to the end of Section 3404.2.9.5.4 5704.2.9.5 to read as follows:

New bulk plants for the storage of flammable or combustible liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

The limits where the storage of flammable or combustible liquids in outside above-ground tanks is prohibited, are established as the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.660 Section 3406.2.4.4 5706 amended--Special operations--Locations where above-ground tanks are prohibited.**

Add the following paragraphs to the end of Section 3406.2.4.4 5706.2.4.4 to read as follows:

New bulk plants for the storage of flammable or combustible liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

The limits where the storage of flammable or combustible liquids in outside above-ground tanks is prohibited, are established as the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.670 Section 3406.4 5706.4 amended--Bulk plants or terminals.**

Add the following paragraph to the end of Section 3406.4 5706.4 to read as follows:

New bulk plants for the storage of Class I or Class II liquids are prohibited within the area within any AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones.

*[Corrects section numbers that changed between editions.]*

**15.04.680 Section 3804.2 6104.2 amended--Location of containers--Maximum capacity within established limits.**

Add the following paragraph to the end of Section 3804.2 6104.2 to read as follows:

The geographic limits as to the storage of liquefied petroleum gas is restricted for the protection of heavily populated or congested areas are established as follows: AL, RS, R1, R2, R2A, R3, R4, R5, R6, R6A, MP, and C1A zones. Containers of liquefied petroleum gas in these zones shall not exceed 100 gallons.

*[Corrects section numbers that changed between editions.]*

**15.04.700 Adoption.**

The 2006 2015 International Energy Conservation Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.04.710 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

The regulations shall be known as the Energy Conservation Code of the City of Torrington, and shall be cited as such. It is referred to herein as "this code."

**15.04.720 Section 101.2 amended--Scope.**

Add a new paragraph to the end of Section 101.2 of the International Energy Conservation Code to read as follows:

All references to ICC Electrical Code throughout the International Energy Conservation Code shall be changed to National Electrical Code.

*[No longer in code.]*

**15.08.010 Adoption.**

The 2006 2015 International Plumbing Code, including Appendix Chapters E, is adopted by reference and have the same force and effect as though fully set forth in this chapter, except as

specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.08.020 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the International Plumbing Code of the City of Torrington hereinafter referred to as "this code."

**15.08.030 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter or repair plumbing work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by Chapter 01.12.030 of the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.040 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by the Torrington Municipal Code.

**15.08.050 Section 603.2 amended--Separation of water service and building sewer.**

Add a new sentence after the exceptions to Section 603.2 to read as follows:

The minimum separation of the water service and building sewer at the property line shall be in accordance with the City of Torrington standards.

Stay or go with what's in the code?

**15.08.060 Section 605.3 amended--Water service pipe.**

Add the following paragraph to the end of Section 605.3 of the International Plumbing Code.

Water service pipe shall be Eagle Pure-Core, CTS 200 psi @ 23° C, SDR 9, ASTM D2737, PE 3408, C3 AWWA C-901, or equal, with a minimum bury depth of 5'-0" (1,524 mm) for protection against freezing. Such piping shall terminate such that it will allow installation of a water meter within 5 feet (1,524 mm) of where the piping enters the building or penetrates a slab on grade. Access to the water meter must be provided within 5 feet, unless otherwise approved by the building official.

**15.08.070 Section 610 amended--Disinfection of potable water system.**

Section 610 is deleted in its entirety.

**15.08.075 Section 703.3 amended- Sanitary and Storm Sewers.**

Section 703.3 is amended to read as follows:

Where separate systems of sanitary drainage and storm drainage are installed in the same property, the sanitary and storm building sewers or drains shall not be permitted to be laid side by side in one trench. There pipes shall have a min of 5' separation in all directions.

**15.08.080 Section 703.6 amended- Combined Sanitary and Storm Public Sewers.**

Section 703.6 is amended to read as follows:

Combined Sanitary and Storm Public Sewers is prohibited within the corporate limits of the city.

**Add New Chapters 13-14**

**15.08.100 Adoption.**

The 2006 2015 International Fuel Gas Code, is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.08.110 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Fuel Gas Code of the City of Torrington hereinafter referred to as "this code."

**15.08.120 Sections 103 through 104--Administration.**

Sections 103 through 104 of the International Fuel Gas Code are deleted in their entirety.

The intention is that this code be administered in accordance with the administrative provisions of the International Building Code, as adopted and amended by this title.

**15.08.130 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter, use or repair plumbing work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.140 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by the Torrington Municipal Code.

**15.08.150 Section 109.1 amended--Means of appeal--General.**

Section 109.1 is amended to read as follows:

General. In order to hear and decide appeals of orders, decisions or determinations made by the building official relative to the application and interpretation of the code, there shall be and is hereby created a board of appeals. The board of appeals shall be appointed by the governing body and shall hold office at its pleasure. The board shall adopt rules of procedure for conducting its business. The board shall be known as the Building Code Board of Appeals.

Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The board shall have no authority to waive requirements of this code.

The board of appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

**15.08.160 Sections 109.2 through 109.7 amended--Means of appeal.**

Sections 109.2 through 109.7 are deleted in their entirety.

**15.08.170 Section 621.4 amended--Prohibited locations.**

Section 621.4 is amended to read as follows:

Unvented room heaters shall not be installed within residential occupancies, or within Groups A, E and I occupancies, or within any sleeping room or room readily used for sleeping purposes, or in any bathroom, toilet room or storage closet. Unvented room heaters may be installed in detached U occupancies associated with residential occupancies. The location of unvented room heaters shall also comply with Section 303.3.

**15.08.200 Adoption.**

The 2006 2015 International Mechanical Code, including Appendix A, is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.08.210 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Mechanical Code of the City of Torrington hereinafter referred to as "this code."

**15.08.220 Sections 103 and 104 amended--Administration.**

Sections 103 and 104 of the International Mechanical Code are deleted in their entirety. It is intended that the code be administered in accordance with the International Building Code, as adopted and amended by this title.

**15.08.230 Section 108.4 amended--Violation penalties.**

Section 108.4 is amended to read as follows:

Any person who violates a provision of this code or fails to comply with any the requirements thereof or who shall erect, install, alter, use or repair mechanical work in violation of the approved construction documents or directive of the code official shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

**15.08.240 Section 108.5 amended--Stop work orders.**

Section 108.5 is amended to read as follows:

Any person who shall continue any work in or about a structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to the penalties prescribed by Chapter 1.12.030 of the Torrington Municipal Code.

**15.08.250 Section 109.1 amended--Means of appeal--General.**

Section 109.1 is amended to read as follows:

General. In order to hear and decide appeals of orders, decisions or determinations made by the building official relative to the application and interpretation of the code, there shall be and is hereby created a board of appeals. The board of appeals shall be appointed by the governing body and shall hold office at its pleasure. The board shall adopt rules of procedure for conducting its business. The board shall be known as the Building Code Board of Appeals.

**15.08.260 Section 109.1.1 amended--Limitations on authority.**

Section 109.1.1 is amended to read as follows:

Limitations on authority. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply or an equally good or better form of construction is proposed. The board shall have no authority to waive requirements of this code.

**15.08.270 Section 109.2 amended--Qualifications.**

Section 109.2 is amended to read as follows:

Qualifications. The board of appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

**15.08.280 Sections 109.2 through 109.7 amended--Means of appeal.**

Sections 109.2 through 109.7 are deleted in their entirety.

**15.08.300 Section ~~304.7~~ 301.10 amended--Electrical.**

Section ~~304.7~~ 301.10 of the International Mechanical Code is amended to read as follows:

Electrical wiring, and controls and connections to equipment and appliances regulated by this code shall be in accordance with the National Electrical Code.

*[Corrects section numbers that changed between editions. The National Electrical Code is adopted by reference by this ordinance.]*

**Section 4.** That Chapter 15.12 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.12.010 Adoption.**

The 2008 2015 National Electrical Code is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this chapter. Copies of such codes are on file in the office of the Building Official.

**15.12.020 Article 90.4 amended--Enforcement.**

Article 90.4 of the National Electrical Code is amended to read as follows:

This code shall be administered in accordance with Chapter 1, Administration, of the International Building Code as adopted and amended by this Chapter. Fees shall be as indicated by the building permit and plan review fee schedule.

**15.12.030 Article 230.2(B) amended--Special occupancies.**

Add Subsection 3 to Article 230.2(B) to read as follows:

Fire areas separated by a minimum two-hour fire wall as defined by the building code may be considered as separate buildings for the purpose of calculating the number of services when approved in advance by the building official.

**15.12.040 Article 230.32 amended--Protection against damage.**

Add new paragraph to the end of Article 230.32 to read as follows:

~~Where direct buried conductors, raceways, or cables under 400 amperes are subject to movement by settlement or frost, they shall be arranged to prevent damage to the enclosed conductors or equipment connected to the raceways. A weatherproof 12x18x6 inch (305x457x152) Nema 3R junction box with a sealing hasp must be provided below the meter housing. A minimum of 24 inches (610 mm) of conductors from the meter housing are required to be coiled in the junction box for connection by the electric utility. An expansion joint must be installed between the junction box and grade. If the raceway under the junction box passes through a concrete slab before grade, a sleeve is required through the slab to allow free movement of the raceway.~~

*[Removes an unnecessary requirement for protection of conductors where ground settling may occur.]*

**15.12.050 Permits.**

Permits for the installation, alteration and repair of electrical wiring, appliances or equipment, shall be as required by the State of Wyoming Department of Fire Prevention and Electrical Safety and shall be issued only to a person meeting the requirements set forth by that agency for the work being conducted.

**Section 5.** That Chapter 15.16 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby amended and re-enacted to read as follows:

**15.16.100 Adoption.**

The 1997 Uniform Code for the Abatement of Dangerous Buildings is adopted by reference and has the same force and effect as though fully set forth in this chapter, except as specifically amended by this Chapter. Copies of such codes are on file in the office of the Building Official.

**15.16.110 Section 101.1 amended--Title.**

Section 101.1 is amended to read as follows:

These regulations shall be known as the Code for Abatement of Dangerous Buildings of the City of Torrington, hereinafter referred to as "this code."

**15.16.120 Section 201.3 amended--Right-of-entry.**

Add new sentence to the end of the first paragraph of Section 201.3 to read as follows:

In cases of emergency where there is believed to be imminent danger to any person the building official may enter any property to make any necessary inspections under this code or to take any other action authorized by this code without permission or warrant.

**15.16.130 Section 203 amended--Violations.**

Add new sentence to the end of Section 203 to read as follows:

No owner or person having charge or control over any building or premises shall fail to comply

with any order issued to such person under this code.

**15.16.140 Section 302 amended--Dangerous building.**

The first sentence of Section 302 is amended to read as follows:

For the purposes of this code, any building or structure which has any or all of the conditions or defects hereinafter described shall be considered to be a dangerous building.

**15.16.150 Section 401.2 4. Amended--Notice and order.**

Subsection 4 of Section 401.2 is amended to read as follows:

Statements advising that if any required repair or demolition work (without vacation also being required) is not commenced within the time specified, the building official (i) will order the building vacated and posted to prevent further occupancy until the work is completed, (ii) may proceed to cause the work to be done and charge the costs thereof against the property or its owner, and (iii) may cause a summons and complaint to be served upon the property owner or any person having charge or control over the building or premises for failure to make the required repairs or demolition within the specified time.

**15.16.160 Section 801.1 amended--Performance of work of repair or demolition--Procedure.**

Section 801.1 is amended to read as follows:

When any work of repair or demolition is to be done pursuant to Section 701.3, Item 3, of this code, the building official shall arrange to have the work performed by personnel of this jurisdiction or by private contract under direction of the building official. Plans and specifications therefore may be prepared by the building official, or the building official may employ such architectural or engineering assistance on a contractual basis as deemed necessary. If any of the work is to be accomplished by private contract, standard public works contractual procedures shall be followed, unless such work is deemed to be an emergency.

**15.16.170 Section 801.2 amended--Costs.**

Section 801.2 is amended to read as follows:

A statement of the cost of such work, plus fifteen percent for administrative overhead, shall be billed to the record owner of the property. If not paid within thirty days of the billing it shall be transmitted to the city council who, upon approval, shall cause the same to be paid as a special assessment against the property. Costs incurred shall be paid out of the city treasury. Such costs shall be charged to the owner of the property or premises involved as a special assessment on the land on which the building or structure is located, and shall be collected in the manner prescribed for special assessments.

**15.16.180 Section 802 amended--Repair and demolition fund.**

Section 802 is deleted in its entirety.

**15.16.190 Chapter 9 amended--Recovery of cost of repair or demolition.**

Chapter 9 is deleted in its entirety.

**Section 6.** That Chapter 15.21 of the Revised Ordinances of the City of Torrington, Wyoming, 2010 Revisions, be and it is hereby deleted in its entirety.

**Section 7.** This ordinance shall be in full force and effect from and after its passage and approval and publication as required by law.

Passed and approved on first reading this 1<sup>st</sup> day of November, 2016.

Passed and approved on second reading this 14<sup>th</sup> day of November, 2016.

Passed and approved on third reading this 6<sup>th</sup> day of December, 2016.

ATTEST:

\_\_\_\_\_  
Mike Varney, Mayor

\_\_\_\_\_  
Lynette Strecker, City Treasurer

## 2017 GOLF RATES

	<i>RESIDENT</i>	<i>NON-RESIDENT</i>
Junior/Student	\$ 153.00	\$ 153.00
Single	\$ 423.00	\$ 459.00
Couple/Married	\$ 637.00	\$ 673.00
*Family	\$ 712.00	\$ 750.00
College Student (12 Credit Hours) Under 26 Years of age	\$ 153.00	\$ 153.00
Senior 60 Years and Older	\$ 400.00	\$ 428.00
Senior Couples Both Must Be 60 Years of Age or Older and Married	\$ 595.00	\$ 625.00

### Daily Fees

9 Holes (7 days a week)	\$ 17.00	\$ 17.00
18 Holes (7 days a week)	\$ 27.00	\$ 27.00

### Tournaments

Weekdays - Guest	\$ 16.00	\$ 16.00
Weekends - Guest	\$ 21.00	\$ 21.00

### Trail Fees

Annual License	\$ 175.00	\$ 175.00
Daily	\$ 15.00	\$ 15.00

### Golf Cart Rental

9 Holes (Per Rider)	\$ 8.00	\$ 8.00
18 Holes (Per Rider)	\$ 12.00	\$ 12.00
1 Year City Cart Lease (1 Person) / (Couple)	\$ 450.00/550.00	\$ 450.00/550.00

### East & West Golf Cart Sheds

Gas	\$ 125.00	\$ 125.00
Electric	\$ 150.00	\$ 150.00

### Driving Range Fees

Couple Range Fees	\$ 265.00	\$ 265.00
*Family Range Pass	\$ 305.00	\$ 305.00
Junior Range Pass	\$ 130.00	\$ 130.00
Annual Adult (One person range pass)	\$ 215.00	\$ 215.00
College Student (Under age 26) 12 credit hours	\$ 155.00	\$ 155.00

### Bucket Balls

Large (60)	\$ 6.00	\$ 6.00
Small (30)	\$ 4.00	\$ 4.00

\*Family members 18 years and under living at home, not married (annual family golf and range pass)

## Report Criteria:

Detail report,  
Invoices with totals above \$0.00 included,  
Paid and unpaid invoices included.

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>A &amp; C SHEET METAL</b>									
1010	A & C SHEET METAL	30594	Invoi	custom built covers for a/c x 2	10-68-700	10/24/2016	195.00	.00	
Total A & C SHEET METAL:							195.00	.00	
<b>A E T, INC</b>									
1070	A E T, INC	10846	Invoi	install new hr meter-pump #2	51-72-700	10/28/2016	80.00	.00	
1070	A E T, INC	10849	Invoi	rplcd thermostats on 2heaters-airp	51-72-700	11/07/2016	256.00	.00	
1070	A E T, INC	10850	Invoi	install hr meter-irrigation pmp by o	10-70-700	11/07/2016	150.00	.00	
Total A E T, INC:							486.00	.00	
<b>A F L A C</b>									
1103	A F L A C	769948	Invoi	payroll withholding Acct# CM775	10-22775	10/28/2016	390.16	390.16	11/02/2016
Total A F L A C:							390.16	390.16	
<b>ACUITY SPECIALTY PRODUCTS, INC</b>									
1180	ACUITY SPECIALTY PRO	9002521631	Invoi	disinfectnt spray, groovy, zep drai	10-14200	11/03/2016	283.24	.00	
Total ACUITY SPECIALTY PRODUCTS, INC:							283.24	.00	
<b>BARBER TREE SERVICE</b>									
1611	BARBER TREE SERVICE	536219	Invoi	dead tree removalx3-pioneer park	10-65-700	11/03/2016	1,700.00	.00	
Total BARBER TREE SERVICE:							1,700.00	.00	
<b>BLUETARP FINANCIAL INC</b>									
1830	BLUETARP FINANCIAL IN	36499899	Invoi	clutch mig/mig welder-inverter po	54-40-670	11/07/2016	369.99	.00	
Total BLUETARP FINANCIAL INC:							369.99	.00	
<b>BOMGAARS SUPPLY INC</b>									
1900	BOMGAARS SUPPLY INC	54249106	Invoi	fly spray x4	10-55-830	11/05/2016	31.96	.00	
Total BOMGAARS SUPPLY INC:							31.96	.00	
<b>BONSIGNORE, DIANA</b>									
1910	BONSIGNORE, DIANA	1141976SPA	Invoi	auto plate - red on white reflective	10-55-830	11/04/2016	335.19	.00	
Total BONSIGNORE, DIANA:							335.19	.00	
<b>CANON FINANCIAL SERVICES, INC</b>									
2141	CANON FINANCIAL SERV	1	Invoi	copier contract 006 - court	10-42-500	11/15/2016	180.00	.00	
2141	CANON FINANCIAL SERV	110	Invoi	copier contract - engineering	10-58-650	11/15/2016	157.25	.00	
2141	CANON FINANCIAL SERV	83	Invoi	copier contract	10-44-500	11/15/2016	367.00	.00	
Total CANON FINANCIAL SERVICES, INC:							704.25	.00	
<b>CASELLE INC</b>									
2190	CASELLE INC	76469	Invoi	Contract Support & Maint - 12/201	10-44-300	11/01/2016	1,990.00	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total CASELLE INC:							1,990.00	.00	
<b>CHICAGO LUMBER COMPANY OF OMAHA</b>									
2290	CHICAGO LUMBER COM	2757981	Invoi	screws, nails, fastenersx24	58-40-700	10/05/2016	6.74	.00	
2290	CHICAGO LUMBER COM	2758164	Invoi	50' blue extension cord	52-40-220	10/06/2016	28.99	.00	
2290	CHICAGO LUMBER COM	2758195	Invoi	pack super glue	52-40-700	10/06/2016	2.15	.00	
2290	CHICAGO LUMBER COM	2758894	Invoi	deck screws	56-40-700	10/10/2016	11.25	.00	
2290	CHICAGO LUMBER COM	2760802	Invoi	max fill touch 'n foam x2	52-40-730	10/19/2016	10.42	.00	
2290	CHICAGO LUMBER COM	2761672	Invoi	ac disconnect	54-45-700	10/24/2016	17.10	.00	
2290	CHICAGO LUMBER COM	2761700	Invoi	16" hole saw, silicone dap	54-45-700	10/24/2016	20.31	.00	
2290	CHICAGO LUMBER COM	2761700	Invoi	ratchet caulk gun	54-45-220	10/24/2016	3.59	.00	
2290	CHICAGO LUMBER COM	2761915	Invoi	mouse traps, mouse glue trap	52-40-700	10/25/2016	7.65	.00	
2290	CHICAGO LUMBER COM	2763138	Invoi	air filter x2	10-65-700	10/31/2016	8.28	.00	
2290	CHICAGO LUMBER COM	2764248	Invoi	vehicle wash brush x2	10-55-670	11/05/2016	35.98	.00	
Total CHICAGO LUMBER COMPANY OF OMAHA:							152.46	.00	
<b>CIRCUIT COURT OF GOSHEN COUNTY</b>									
2370	CIRCUIT COURT OF GOS	110216	Invoi	payroll withholding	10-22500	11/02/2016	307.10	307.10	11/02/2016
Total CIRCUIT COURT OF GOSHEN COUNTY:							307.10	307.10	
<b>CITY OF TORRINGTON</b>									
2375	CITY OF TORRINGTON	110216	Invoi	payroll withholding -utilities	10-22790	11/02/2016	1,031.17	1,031.17	11/02/2016
2375	CITY OF TORRINGTON	110216A	Invoi	payroll withholding -golf	10-22790	11/02/2016	15.00	15.00	11/02/2016
2375	CITY OF TORRINGTON	110216B	Invoi	payroll withholding-phone data/po	10-11520	11/02/2016	32.01	32.01	11/02/2016
Total CITY OF TORRINGTON:							1,078.18	1,078.18	
<b>CITY OF TORRINGTON c/o FIRST STATE BANK</b>									
2376	CITY OF TORRINGTON c/	103116	Invoi	optional sales tax Deposit Acct 8	01-10480	10/31/2016	89,068.96	89,068.96	11/09/2016
Total CITY OF TORRINGTON c/o FIRST STATE BANK:							89,068.96	89,068.96	
<b>COMMUNITY HOSPITAL</b>									
2590	COMMUNITY HOSPITAL	10312016	Invoi	amblnce spplies-glucogen,naloxo	58-40-890	11/01/2016	700.86	.00	
Total COMMUNITY HOSPITAL:							700.86	.00	
<b>COMPUTER CONNECTION INC</b>									
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	10-44-500	10/30/2016	88.31	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	10-44-500	10/30/2016	747.82	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	10-58-650	10/30/2016	14.85	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	10-42-650	10/30/2016	70.00	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	53-77-500	10/30/2016	20.00	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	53-82-650	10/30/2016	20.00	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	55-40-650	10/30/2016	25.00	.00	
2611	COMPUTER CONNECTIO	166277	Invoi	copier all inclsv srvc cntrct/mnthly	10-54-500	10/30/2016	53.00	.00	
Total COMPUTER CONNECTION INC:							1,038.98	.00	
<b>CULLIGAN WATER OF TORRINGTON</b>									
2840	CULLIGAN WATER OF T	110716	Invoi	50# salt x 4	51-75-700	11/07/2016	28.80	.00	
2840	CULLIGAN WATER OF T	91999	Invoi	salt 50#	51-75-700	10/31/2016	28.80	.00	
2840	CULLIGAN WATER OF T	92052	Invoi	Water 5 gal delivered, dispnsr rent	54-40-700	10/31/2016	32.25	.00	
2840	CULLIGAN WATER OF T	92052	Invoi	Water 5 gal delivered, dispnsr rent	10-60-700	10/31/2016	32.25	.00	
2840	CULLIGAN WATER OF T	92080	Invoi	Water dispenser rental	10-65-650	10/31/2016	12.50	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
2840	CULLIGAN WATER OF T	92286	Invoi	Water dispenser rental	54-45-700	10/31/2016	12.50	.00	
2840	CULLIGAN WATER OF T	92306	Invoi	Water 5 gal delivered, dispnsr rent	56-40-700	10/31/2016	32.00	.00	
Total CULLIGAN WATER OF TORRINGTON:							179.10	.00	
<b>DENT, DAVID A</b>									
3012	DENT, DAVID A	110116	Invoi	golf pro payable	56-20300	11/01/2016	885.98	885.98	11/02/2016
Total DENT, DAVID A:							885.98	885.98	
<b>DILLMAN, BELINDA K</b>									
63	DILLMAN, BELINDA K	5.00600.03 103	Invoi	final billing - deposit return	53-22900	11/08/2016	31.07	.00	
Total DILLMAN, BELINDA K:							31.07	.00	
<b>DIVERSIFIED SERVICES</b>									
3130	DIVERSIFIED SERVICES	159	Invoi	PER AGREEMENT	10-67-670	11/15/2016	1,500.00	.00	
3130	DIVERSIFIED SERVICES	2418	Invoi	9 cleaning visits - 10/16	10-54-890	11/01/2016	225.00	.00	
3130	DIVERSIFIED SERVICES	2419	Invoi	4 cleaning visits - 10/16	53-77-890	11/01/2016	40.00	.00	
3130	DIVERSIFIED SERVICES	2419	Invoi	4 cleaning visits - 10/16	53-82-890	11/01/2016	40.00	.00	
3130	DIVERSIFIED SERVICES	2419	Invoi	4 cleaning visits - 10/16	10-63-700	11/01/2016	40.00	.00	
3130	DIVERSIFIED SERVICES	2419	Invoi	4 cleaning visits - 10/16	10-60-700	11/01/2016	40.00	.00	
Total DIVERSIFIED SERVICES:							1,885.00	.00	
<b>EMPIRE IMPORTS, INC</b>									
3460	EMPIRE IMPORTS, INC	396157A	Invoi	legal top file binders x 6	10-41-650	11/07/2016	140.61	.00	
Total EMPIRE IMPORTS, INC:							140.61	.00	
<b>FAMILY SUPPORT REGISTRY</b>									
3565	FAMILY SUPPORT REGIS	110216	Invoi	PAYROLL WITHHOLDING	10-22705	11/02/2016	235.97	235.97	11/02/2016
Total FAMILY SUPPORT REGISTRY:							235.97	235.97	
<b>FASTENAL COMPANY</b>									
3573	FASTENAL COMPANY	WYTOR56786	Invoi	aa batteriesx72	10-14100	10/05/2016	16.77	.00	
3573	FASTENAL COMPANY	WYTOR56786	Invoi	18v worklight bulb	10-63-710	10/05/2016	12.88	.00	
3573	FASTENAL COMPANY	WYTOR56806	Invoi	handwipes 75ct x2	10-54-530	10/05/2016	22.72	.00	
3573	FASTENAL COMPANY	WYTOR56853	Invoi	24x55 duct tape x2	10-14200	10/07/2016	25.98	.00	
3573	FASTENAL COMPANY	WYTOR56862	Invoi	18v worklight bulb	53-77-700	10/10/2016	12.88	.00	
3573	FASTENAL COMPANY	WYTOR56862	Invoi	blue stick pens x36	53-77-650	10/10/2016	7.56	.00	
3573	FASTENAL COMPANY	WYTOR56862	Invoi	12v lithium-ion battery x 2	10-65-710	10/10/2016	85.98	.00	
3573	FASTENAL COMPANY	WYTOR56881	Invoi	48x55 duct tapeX6, antibacterialX	10-14200	10/19/2016	196.65	.00	
3573	FASTENAL COMPANY	WYTOR56968	Invoi	aa batteriesx48, aaa batteriesx21	10-14200	10/13/2016	61.49	.00	
3573	FASTENAL COMPANY	WYTOR56983	Invoi	insert lock nutx2, hex cap screwsx	56-40-710	10/14/2016	3.05	.00	
3573	FASTENAL COMPANY	WYTOR57006	Invoi	9v alk batteries x 24	10-14200	10/14/2016	24.99	.00	
3573	FASTENAL COMPANY	WYTOR57173	Invoi	nitrile glovesx8, mini bulbx10	10-14200	10/26/2016	118.88	.00	
3573	FASTENAL COMPANY	WYTOR57226	Invoi	thrd sealantx12, couplings, nitrile	10-14200	10/31/2016	240.19	.00	
3573	FASTENAL COMPANY	WYTOR57226	Invoi	couplings returned	10-14200	11/03/2016	7.30-	.00	
3573	FASTENAL COMPANY	WYTOR57232	Invoi	ABC class fire extinguisher w/ bra	54-40-530	10/31/2016	39.52	.00	
3573	FASTENAL COMPANY	WYTOR57270	Invoi	impact wrench w/ pin kit	51-75-220	11/02/2016	457.99	.00	
3573	FASTENAL COMPANY	WYTOR57273	Invoi	hex nutx20, hex ca screwx15	51-75-760	11/02/2016	14.72	.00	
Total FASTENAL COMPANY:							1,334.95	.00	
<b>FLOYD'S TRUCK CENTER, INC.</b>									
3663	FLOYD'S TRUCK CENTE	X101031872:0	Invoi	spring repair parts-roll off truck	54-40-710	10/31/2016	48.74	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total FLOYD'S TRUCK CENTER, INC.:							48.74	.00	
<b>G &amp; L CONCRETE</b>									
3760	G & L CONCRETE	5654	Invoi	2 yds 6SK concrete - West C	51-75-730	10/12/2016	230.00	.00	
3760	G & L CONCRETE	5677	Invoi	2.75 yds 6SK concrete	52-40-730	10/21/2016	316.25	.00	
3760	G & L CONCRETE	5690	Invoi	4.5 yds 6SK concrete- Main St	51-75-730	10/27/2016	517.50	.00	
Total G & L CONCRETE:							1,063.75	.00	
<b>GE BETZ, INC</b>									
3838	GE BETZ, INC	99	Invoi	monthly chemical management	51-75-765	11/15/2016	.00	.00	
Total GE BETZ, INC:							.00	.00	
<b>GOSHEN COUNTY ECONOMIC</b>									
3958	GOSHEN COUNTY ECON	103116	Invoi	1/4 Cent sales tax -October 2016	10-11580	10/31/2016	22,266.06	22,266.06	11/09/2016
3958	GOSHEN COUNTY ECON	106	Invoi	monthly contribution	10-67-320	11/15/2016	1,980.00	.00	
Total GOSHEN COUNTY ECONOMIC:							24,246.06	22,266.06	
<b>GOSHEN COUNTY PUBLIC HEALTH</b>									
3965	GOSHEN COUNTY PUBLI	9872	Invoi	hepatitus A & B vaccinations x 1	10-52-530	10/28/2016	20.00	.00	
3965	GOSHEN COUNTY PUBLI	9872	Invoi	hepatitus A & B vaccinations x 12	10-54-530	10/28/2016	240.00	.00	
3965	GOSHEN COUNTY PUBLI	9872	Invoi	hepatitus A & B vaccinations x 2	54-45-530	10/28/2016	40.00	.00	
3965	GOSHEN COUNTY PUBLI	9872	Invoi	hepatitus A & B vaccinations x 7	54-40-530	10/28/2016	140.00	.00	
3965	GOSHEN COUNTY PUBLI	9872	Invoi	hepatitus A & B vaccinations x 2	10-63-530	10/28/2016	40.00	.00	
Total GOSHEN COUNTY PUBLIC HEALTH:							480.00	.00	
<b>GREATAMERICA FINANCIAL SERVICES CORP</b>									
4080	GREATAMERICA FINANC	184	Invoi	COPIER LEASE	58-40-650	11/15/2016	91.00	.00	
4080	GREATAMERICA FINANC	185	Invoi	COPIER LEASE	10-54-500	11/15/2016	203.00	.00	
4080	GREATAMERICA FINANC	81	Invoi	COPIER LEASE	53-77-500	11/15/2016	94.50	.00	
4080	GREATAMERICA FINANC	81	Invoi	COPIER LEASE	53-82-650	11/15/2016	94.50	.00	
Total GREATAMERICA FINANCIAL SERVICES CORP:							483.00	.00	
<b>GREAT-WEST LIFE &amp; ANNUITY INSURANCE CO</b>									
4075	GREAT-WEST LIFE & AN	93001-02 D77	Invoi	payroll withholding-Plan#93001-0	10-22800	11/02/2016	1,575.62	1,575.62	11/02/2016
Total GREAT-WEST LIFE & ANNUITY INSURANCE CO:							1,575.62	1,575.62	
<b>HEILBRUN, MATT</b>									
4405	HEILBRUN, MATT	102716	Invoi	travel reimburse-meal	51-75-480	10/27/2016	27.54	.00	
4405	HEILBRUN, MATT	102816	Invoi	Mileage 288 miles x .54 = 155.52	51-75-480	10/28/2016	155.52	.00	
Total HEILBRUN, MATT:							183.06	.00	
<b>HEILBRUN'S NAPA AUTO PARTS</b>									
4400	HEILBRUN'S NAPA AUTO	5090008831	Invoi	high-frequency charger	56-40-710	10/19/2016	34.99	.00	
4400	HEILBRUN'S NAPA AUTO	5090010061	Invoi	latitude blades x 5 -pushrod engin	10-63-680	10/20/2016	96.55	.00	
4400	HEILBRUN'S NAPA AUTO	5090010784	Invoi	bulbx2, telescoping mirror	51-75-220	10/21/2016	11.27	.00	
4400	HEILBRUN'S NAPA AUTO	5090011042	Invoi	bulb returned	51-75-220	10/21/2016	2.96-	.00	
4400	HEILBRUN'S NAPA AUTO	5090011532	Invoi	weatherfloor mat	52-40-680	10/21/2016	34.88	.00	
4400	HEILBRUN'S NAPA AUTO	5090013512	Invoi	copper gasket	54-45-700	10/24/2016	.88	.00	
4400	HEILBRUN'S NAPA AUTO	5090014691	Invoi	wiper blades x2	10-54-710	10/25/2016	43.18	.00	
4400	HEILBRUN'S NAPA AUTO	5090016591	Invoi	aluminum spinner knob	10-60-710	10/27/2016	12.44	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
4400	HEILBRUN'S NAPA AUTO	5090019491	Invoi	34" hitch pin, presto hitch pin	10-65-700	10/31/2016	10.21		.00
4400	HEILBRUN'S NAPA AUTO	5090019801	Invoi	hose clampx2	52-40-220	10/31/2016	4.54		.00
4400	HEILBRUN'S NAPA AUTO	5099993385	Invoi	oil filtersx2, lube filter	10-14300	10/03/2016	48.47		.00
4400	HEILBRUN'S NAPA AUTO	5099996122	Invoi	2g18 500aclmp cable	10-60-220	10/05/2016	59.59		.00
Total HEILBRUN'S NAPA AUTO PARTS:							354.04		.00
<b>HOUK, JOE</b>									
10079	HOUK, JOE	20.01395.07 11	Invoi	final billing - deposit return	53-22900	11/08/2016	107.55		.00
Total HOUK, JOE:							107.55		.00
<b>IDEAL LINEN SUPPLY</b>									
4610	IDEAL LINEN SUPPLY	0567784	Invoi	mats, sam dust fee	10-60-700	10/04/2016	5.94		.00
4610	IDEAL LINEN SUPPLY	0567784	Invoi	mats, sam dust fee	54-40-700	10/04/2016	5.93		.00
4610	IDEAL LINEN SUPPLY	0567784	Invoi	coveralls, sam garmnt fee, energy	54-40-190	10/04/2016	7.05		.00
4610	IDEAL LINEN SUPPLY	0567784	Invoi	coveralls, sam garmnt fee, energy	54-45-190	10/04/2016	7.51		.00
4610	IDEAL LINEN SUPPLY	0567786	Invoi	mats,sam dust fee,twls,sam-linen,	10-63-190	10/04/2016	11.96		.00
4610	IDEAL LINEN SUPPLY	0567786	Invoi	uniforms	10-63-700	10/04/2016	15.11		.00
4610	IDEAL LINEN SUPPLY	0567788	Invoi	mats, sam dust fee, energy fee	51-75-650	10/04/2016	39.26		.00
4610	IDEAL LINEN SUPPLY	0567789	Invoi	mats, sam dust fee, energy fee	10-55-700	10/04/2016	17.20		.00
4610	IDEAL LINEN SUPPLY	0567806	Invoi	mats, sam dust fee, energy fee	58-40-700	10/04/2016	19.46		.00
4610	IDEAL LINEN SUPPLY	0567809	Invoi	mats,sam dust fee,twls,sam-linen,	55-40-700	10/04/2016	13.33		.00
4610	IDEAL LINEN SUPPLY	0570703	Invoi	mats, sam dust fee, energy fee	10-52-700	10/11/2016	205.93		.00
4610	IDEAL LINEN SUPPLY	0570706	Invoi	mats, sam dust fee	10-60-700	10/11/2016	5.94		.00
4610	IDEAL LINEN SUPPLY	0570706	Invoi	mats, sam dust fee	54-40-700	10/11/2016	5.93		.00
4610	IDEAL LINEN SUPPLY	0570706	Invoi	coveralls, sam garmnt fee, energy	54-40-190	10/11/2016	7.36		.00
4610	IDEAL LINEN SUPPLY	0570706	Invoi	coveralls, sam garmnt fee, energy	54-45-190	10/11/2016	7.81		.00
4610	IDEAL LINEN SUPPLY	0570707	Invoi	mop, mats, sam dust fee, energy f	53-77-700	10/11/2016	26.91		.00
4610	IDEAL LINEN SUPPLY	0570709	Invoi	uniforms	10-63-190	10/11/2016	11.96		.00
4610	IDEAL LINEN SUPPLY	0570709	Invoi	mats,sam dust fee,twls,sam-linen,	10-63-700	10/11/2016	15.73		.00
4610	IDEAL LINEN SUPPLY	0573544	Invoi	mats, sam dust fee	10-60-700	10/18/2016	5.94		.00
4610	IDEAL LINEN SUPPLY	0573544	Invoi	mats, sam dust fee	54-40-700	10/18/2016	5.93		.00
4610	IDEAL LINEN SUPPLY	0573544	Invoi	coveralls, sam garmnt fee, energy	54-40-190	10/18/2016	7.36		.00
4610	IDEAL LINEN SUPPLY	0573544	Invoi	coveralls, sam garmnt fee, energy	54-45-190	10/18/2016	7.81		.00
4610	IDEAL LINEN SUPPLY	0573546	Invoi	uniforms	10-63-190	10/18/2016	11.96		.00
4610	IDEAL LINEN SUPPLY	0573546	Invoi	mats,sam dust fee,twls,sam-linen,	10-63-700	10/18/2016	24.68		.00
4610	IDEAL LINEN SUPPLY	0573549	Invoi	mats, sam dust fee, energy fee	10-67-770	10/18/2016	9.03		.00
4610	IDEAL LINEN SUPPLY	0573550	Invoi	mats, sam dust fee, energy fee	10-55-700	10/18/2016	17.59		.00
4610	IDEAL LINEN SUPPLY	0573564	Invoi	mats,sam dust fee,twls,sam-linen,	55-40-700	10/18/2016	13.64		.00
4610	IDEAL LINEN SUPPLY	0576404	Invoi	mats, sam dust fee	10-60-700	10/25/2016	5.94		.00
4610	IDEAL LINEN SUPPLY	0576404	Invoi	mats, sam dust fee	54-40-700	10/25/2016	5.93		.00
4610	IDEAL LINEN SUPPLY	0576404	Invoi	coveralls, sam garmnt fee, energy	54-40-190	10/25/2016	7.36		.00
4610	IDEAL LINEN SUPPLY	0576404	Invoi	coveralls, sam garmnt fee, energy	54-45-190	10/25/2016	7.81		.00
4610	IDEAL LINEN SUPPLY	0576406	Invoi	uniforms	10-63-190	10/25/2016	11.96		.00
4610	IDEAL LINEN SUPPLY	0576406	Invoi	mats,sam dust fee,twls,sam-linen,	10-63-700	10/25/2016	15.73		.00
4610	IDEAL LINEN SUPPLY	S0570881	Invoi	bath tissue/case, tork maticx3, ma	10-14200	10/12/2016	245.06		.00
4610	IDEAL LINEN SUPPLY	S0573715	Invoi	linersx1 case	10-14200	10/14/2016	19.57		.00
Total IDEAL LINEN SUPPLY:							853.62		.00
<b>JAMES A. EDDINGTON, PC</b>									
3360	JAMES A. EDDINGTON, P	159	Invoi	CITY ATTORNEY	10-42-300	11/15/2016	6,000.00		.00
3360	JAMES A. EDDINGTON, P	47356	Invoi	extended hours for attorney 10/20	10-42-300	11/02/2016	1,509.36		.00
Total JAMES A. EDDINGTON, PC:							7,509.36		.00

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>KATH BROADCASTING CO, LLC</b>									
4935	KATH BROADCASTING C	16100198	Invoi	tower rent	10-54-720	10/30/2016	75.00	.00	
Total KATH BROADCASTING CO, LLC:							75.00	.00	
<b>KILGORE, KERRI &amp; CLAYTON</b>									
4980	KILGORE, KERRI & CLAY	20161102	Invoi	alpha numeric paging service (ele	53-79-750	11/01/2016	12.00	.00	
Total KILGORE, KERRI & CLAYTON:							12.00	.00	
<b>KNUDSEN LAW OFFICES</b>									
5020	KNUDSEN LAW OFFICES	103	Invoi	Municipal Court Judge	10-42-600	11/15/2016	1,600.00	.00	
Total KNUDSEN LAW OFFICES:							1,600.00	.00	
<b>KOIS BROTHERS EQUIPMENT CO</b>									
5022	KOIS BROTHERS EQUIP	51345	Invoi	universal poly lids x50-roll outs	54-40-730	09/24/2016	1,423.85	.00	
Total KOIS BROTHERS EQUIPMENT CO:							1,423.85	.00	
<b>LUJAN CLEANING SERVICE LLC</b>									
5243	LUJAN CLEANING SERVI	2284	Invoi	cleaning & window cleaning 10/16	10-55-890	11/01/2016	230.00	.00	
Total LUJAN CLEANING SERVICE LLC:							230.00	.00	
<b>MERIDIAN TRUST FEDERAL CREDIT</b>									
5449	MERIDIAN TRUST FEDER	110216	Invoi	PAYROLL WITHHOLDING	10-22780	11/02/2016	3,165.00	3,165.00	11/02/2016
Total MERIDIAN TRUST FEDERAL CREDIT:							3,165.00	3,165.00	
<b>MOOREHOUSE INC</b>									
5585	MOOREHOUSE INC	110316	Invoi	blue sprucex2, pinion pine, plant f	10-65-850	11/03/2016	820.00	.00	
5585	MOOREHOUSE INC	110816 W C P	Invoi	instl playgrnd equip,pea gravel,co	10-65-870	11/08/2016	9,334.62	.00	
5585	MOOREHOUSE INC	110816 W C P	Invoi	instl playgrnd equip,pea gravel,co	10-65-300	11/08/2016	780.38	.00	
Total MOOREHOUSE INC:							10,935.00	.00	
<b>MUNICIPAL ENERGY AGENCY</b>									
5668	MUNICIPAL ENERGY AG	294082	Invoi	wholesale power - 10/2016	53-80-410	11/01/2016	539,076.37	539,076.37	11/09/2016
5668	MUNICIPAL ENERGY AG	294125	Invoi	monthly rita installment - 10/2016	53-80-410	11/07/2016	4,276.57	4,276.57	11/09/2016
Total MUNICIPAL ENERGY AGENCY:							543,352.94	543,352.94	
<b>MUNIZ, RICHARD</b>									
11034	MUNIZ, RICHARD	1.00860.24 110	Invoi	final billing - deposit return	53-22900	11/09/2016	152.80	.00	
Total MUNIZ, RICHARD:							152.80	.00	
<b>NEBRASKA SAFETY AND FIRE EQUIPMENT INC</b>									
5727	NEBRASKA SAFETY AND	36482	Invoi	5# ABC 6 yr maintenance x 2	53-77-700	10/18/2016	60.00	.00	
5727	NEBRASKA SAFETY AND	36484A	Invoi	5" ABC hydrotest, 6yr maint-bal d	53-82-700	10/18/2016	30.00	.00	
5727	NEBRASKA SAFETY AND	36486A	Invoi	5" ABC hydrotest-bal due	10-63-700	10/18/2016	60.00	.00	
5727	NEBRASKA SAFETY AND	36488	Invoi	5" ABC hydrotestx2	58-40-700	11/03/2016	90.00	.00	
5727	NEBRASKA SAFETY AND	36489	Invoi	5" ABC hydrotest	51-73-700	11/03/2016	15.00	.00	
5727	NEBRASKA SAFETY AND	36489	Invoi	5" ABC hydrotest	53-79-700	11/03/2016	15.00	.00	
5727	NEBRASKA SAFETY AND	36491	Invoi	#5 ABC hydrotest, 5# ABC 6yr ma	51-75-700	11/03/2016	50.00	.00	
5727	NEBRASKA SAFETY AND	36491	Invoi	#5 ABC hydrotest, 5# ABC 6yr ma	51-75-700	11/03/2016	30.00	.00	
5727	NEBRASKA SAFETY AND	36491	Invoi	#5 ABC hydrotest, 5# ABC 6yr ma	52-40-700	11/03/2016	50.00	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
5727	NEBRASKA SAFETY AND	41632	Invoi	annual fire extinguisher inspection	58-40-700	10/18/2016	33.00	.00	
5727	NEBRASKA SAFETY AND	41636	Invoi	annual fire extinguisher inspection	10-52-700	10/18/2016	60.50	.00	
5727	NEBRASKA SAFETY AND	41642	Invoi	annual fire extinguisher inspection	10-54-700	10/18/2016	44.00	.00	
5727	NEBRASKA SAFETY AND	41647	Invoi	new #5 ABC Fire extinguisher	51-75-700	11/03/2016	75.00	.00	
5727	NEBRASKA SAFETY AND	80711	Invoi	annual fire extinguisher inspection	53-77-700	10/18/2016	33.00	.00	
5727	NEBRASKA SAFETY AND	80714	Invoi	annual fire extinguisher inspection	51-75-700	10/18/2016	302.50	.00	
Total NEBRASKA SAFETY AND FIRE EQUIPMENT INC:							948.00	.00	
<b>NORTHWEST PIPE FITTINGS, INC</b>									
5880	NORTHWEST PIPE FITTI	221477-1	Invoi	5' bury-main valve opening	51-75-760	10/06/2016	2,084.00	.00	
5880	NORTHWEST PIPE FITTI	221972	Invoi	1" ball curb valvex20 (curb stops)	51-14100	10/27/2016	2,292.43	.00	
5880	NORTHWEST PIPE FITTI	222129	Invoi	18" c-900 pipe x40	51-75-740	10/13/2016	1,153.60	.00	
5880	NORTHWEST PIPE FITTI	222130	Invoi	18" couplingx2, mega lugsx4	51-75-740	10/06/2016	1,512.11	.00	
5880	NORTHWEST PIPE FITTI	222549	Invoi	12"x12" fernco x2	52-40-730	10/19/2016	66.38	.00	
Total NORTHWEST PIPE FITTINGS, INC:							7,108.52	.00	
<b>OFFICE OF STATE LANDS &amp; INVEST</b>									
5900	OFFICE OF STATE LAND	DW013 1116	Invoi	DWSRF 13 loan P&I payment	51-75-200	08/30/2016	3,864.73	.00	
5900	OFFICE OF STATE LAND	DW013 1116	Invoi	DWSRF 13 loan P&I payment	51-75-895	08/30/2016	24,200.89	.00	
Total OFFICE OF STATE LANDS & INVEST:							28,065.62	.00	
<b>OLSON TIRE COMPANY</b>									
5920	OLSON TIRE COMPANY	1-156040	Invoi	r/r inner trk tire rpr,stem,patch-roll-	54-40-710	10/05/2016	48.45	.00	
5920	OLSON TIRE COMPANY	1-156515	Invoi	align & adjust to specs 05 pontiac	10-63-680	10/27/2016	80.00	.00	
Total OLSON TIRE COMPANY:							128.45	.00	
<b>ONE CALL OF WYOMING</b>									
5927	ONE CALL OF WYOMING	43173	Invoi	tickets for CDC code TRG 10/16	53-82-740	11/04/2016	29.07	.00	
5927	ONE CALL OF WYOMING	43173	Invoi	tickets for CDC code TRG 10/16	10-60-700	11/04/2016	29.06	.00	
5927	ONE CALL OF WYOMING	43173	Invoi	tickets for CDC code TRG 10/16	51-75-730	11/04/2016	29.06	.00	
5927	ONE CALL OF WYOMING	43173	Invoi	tickets for CDC code TRG 10/16	52-40-730	11/04/2016	29.06	.00	
Total ONE CALL OF WYOMING:							116.25	.00	
<b>PANHANDLE COOP</b>									
6000	PANHANDLE COOP	243539/P	Invoi	white vinegar	10-52-600	10/10/2016	8.38	.00	
6000	PANHANDLE COOP	29719	Invoi	propane tank rental	54-45-660	10/28/2016	65.00	.00	
6000	PANHANDLE COOP	558498/E	Invoi	deduct federal gasohol tax bulk	56-40-660	10/04/2016	36.60-	.00	
6000	PANHANDLE COOP	558653/E	Invoi	diesel	10-60-660	10/07/2016	445.50	.00	
6000	PANHANDLE COOP	558653/E	Invoi	diesel	54-40-660	10/07/2016	445.50	.00	
6000	PANHANDLE COOP	559167/E	Invoi	unleaded gas	56-40-660	10/17/2016	832.00	.00	
6000	PANHANDLE COOP	559690/E	Invoi	P245/55 tires x2	10-54-710	10/26/2016	303.52	.00	
Total PANHANDLE COOP:							2,063.30	.00	
<b>PANHANDLE ENVIRONMENTAL SERVICES INC</b>									
6005	PANHANDLE ENVIRONM	161191	Invoi	Lab Analysis-ecoli outfall 001	52-40-830	10/28/2016	30.00	.00	
6005	PANHANDLE ENVIRONM	161191	Invoi	lab analysis - ecoli prison transitio	52-40-830	10/28/2016	30.00	.00	
Total PANHANDLE ENVIRONMENTAL SERVICES INC:							60.00	.00	
<b>PETERBILT OF WYOMING</b>									
6190	PETERBILT OF WYOMIN	YR56447	Invoi	updated ECM & cleared all logged	54-40-710	10/10/2016	310.71	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
Total PETERBILT OF WYOMING:							310.71	.00	
<b>PINNACLE BANK</b>									
6197	PINNACLE BANK	20006480 1011	Invoi	usps	52-40-210	10/11/2016	7.36	.00	
6197	PINNACLE BANK	20006498 1022	Invoi	corner store/travel expense	10-41-230	10/22/2016	16.00	.00	
6197	PINNACLE BANK	20006506 1019	Invoi	chopstix asian bistro/travel expen	10-54-480	10/19/2016	8.93	.00	
6197	PINNACLE BANK	20006506 1019	Invoi	red willow restraunt/travel expens	10-54-400	10/19/2016	11.70	.00	
6197	PINNACLE BANK	20006506 1020	Invoi	hampton inn/travel expense	10-54-480	10/20/2016	182.00	.00	
6197	PINNACLE BANK	20006506 1020	Invoi	central wy college/travel expense	10-54-480	10/20/2016	9.38	.00	
6197	PINNACLE BANK	20006506 1020	Invoi	flying j/travel expense	10-54-480	10/20/2016	6.28	.00	
6197	PINNACLE BANK	20006506 1020	Invoi	exxonmobil/travel expense	10-54-480	10/20/2016	28.00	.00	
6197	PINNACLE BANK	20006514 1006	Invoi	mcdonald's/travel expense	58-40-480	10/06/2016	18.20	.00	
6197	PINNACLE BANK	20006514 1013	Invoi	mcdonald's/travel expense	58-40-480	10/13/2016	17.55	.00	
6197	PINNACLE BANK	20006514 1015	Invoi	maverik/travel expense	58-40-480	10/15/2016	10.98	.00	
6197	PINNACLE BANK	20006514 1020	Invoi	maverik/travel expense	58-40-480	10/20/2016	11.70	.00	
6197	PINNACLE BANK	20006514 1027	Invoi	subway/travel expense	58-40-480	10/27/2016	21.01	.00	
6197	PINNACLE BANK	20006514 1028	Invoi	wendy's/travel expense	58-40-480	10/28/2016	21.34	.00	
6197	PINNACLE BANK	20010276 1024	Invoi	outback/travel expense	51-75-480	10/24/2016	21.78	.00	
6197	PINNACLE BANK	20010276 1024	Invoi	firerock steakhouse/travel expens	52-40-480	10/24/2016	29.10	.00	
6197	PINNACLE BANK	20010276 1028	Invoi	wendy's/travel expense	52-40-480	10/28/2016	18.65	.00	
6197	PINNACLE BANK	20012520 1006	Invoi	the bucking horse/christmas party	10-36-920	10/06/2016	100.00	.00	
6197	PINNACLE BANK	20012520 1006	Invoi	steel water-storage tank	51-75-690	10/06/2016	69.50	.00	
6197	PINNACLE BANK	20012520 1010	Invoi	3-volt lithium photo batteries/amaz	53-77-710	10/10/2016	6.99	.00	
6197	PINNACLE BANK	20012520 1011	Invoi	solar flag pole light/us flag store	10-52-700	10/11/2016	140.50	.00	
6197	PINNACLE BANK	20012520 1012	Invoi	11 pc took kit-playgrnd insp kit/saf	10-65-700	10/12/2016	274.00	.00	
6197	PINNACLE BANK	20012520 1027	Invoi	pressure transmitter/dwyer instr in	51-72-705	10/27/2016	393.59	.00	
6197	PINNACLE BANK	20012520 1031	Invoi	nitrile gloves	10-52-685	10/31/2016	75.50	.00	
6197	PINNACLE BANK	20073282 1018	Invoi	deacons/iso rating meeting	10-55-730	10/18/2016	46.36	.00	
6197	PINNACLE BANK	20073282 1031	Invoi	walmart-trunk-or-treat	10-55-830	10/31/2016	129.48	.00	
Total PINNACLE BANK:							1,675.88	.00	
<b>PLATT, EMILY L</b>									
64	PLATT, EMILY L	11.00081.31 11	Invoi	final billing - deposit return	53-22900	11/02/2016	163.92	.00	
Total PLATT, EMILY L:							163.92	.00	
<b>PRINT EXPRESS INC</b>									
6310	PRINT EXPRESS INC	17105	Invoi	register ticketsx1000, usps	55-40-650	10/31/2016	149.54	.00	
6310	PRINT EXPRESS INC	17142	Invoi	UPS	10-55-210	10/31/2016	34.92	.00	
6310	PRINT EXPRESS INC	17146	Invoi	usps	52-40-830	10/31/2016	184.93	.00	
6310	PRINT EXPRESS INC	17146	Invoi	usps	52-40-830	10/31/2016	184.44	.00	
6310	PRINT EXPRESS INC	17146	Invoi	usps	52-40-830	10/31/2016	169.22	.00	
6310	PRINT EXPRESS INC	17146	Invoi	usps	51-73-790	10/31/2016	17.33	.00	
Total PRINT EXPRESS INC:							740.38	.00	
<b>REISIG, RAYMOND</b>									
62	REISIG, RAYMOND	5012827	Invoi	refund-overpymnt-contractors lice	10-32-100	10/27/2016	35.00	.00	
Total REISIG, RAYMOND:							35.00	.00	
<b>RICHARD D HOLSTEAD ENGINEERING</b>									
6600	RICHARD D HOLSTEAD E	5412	Invoi	substation desgn-sub mtrls & proc	53-90-115	10/31/2016	2,850.75	.00	
Total RICHARD D HOLSTEAD ENGINEERING:							2,850.75	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>RINGLE, DANIEL K.</b>									
6620	RINGLE, DANIEL K.	113016	Invoi	museum contract consultant	10-68-300	11/10/2016	750.00	.00	
Total RINGLE, DANIEL K.:							750.00	.00	
<b>SAM'S WEST INC</b>									
6940	SAM'S WEST INC	8793452720	Invoi	folgers,aleve,10.5watt bulbs,file fo	10-14200	11/03/2016	131.59	.00	
Total SAM'S WEST INC:							131.59	.00	
<b>SMITTY'S REPAIR SERVICE</b>									
7240	SMITTY'S REPAIR SERVI	213279	Invoi	brass bushings	54-40-710	10/27/2016	27.60	.00	
Total SMITTY'S REPAIR SERVICE:							27.60	.00	
<b>SPORT SUPPLY GROUP INC</b>									
7299	SPORT SUPPLY GROUP I	98410898	Invoi	playground ball set of 6-LLC	10-52-600	11/02/2016	33.74	.00	
Total SPORT SUPPLY GROUP INC:							33.74	.00	
<b>T D S COLLECTIONS SERVICE, INC</b>									
7555	T D S COLLECTIONS SE	13777	Invoi	2 semi loads of grading w base/st	51-75-740	10/28/2016	800.19	.00	
Total T D S COLLECTIONS SERVICE, INC:							800.19	.00	
<b>TITAN MACHINERY INC</b>									
7770	TITAN MACHINERY INC	8364817	Invoi	conv driven spro x 2, chainx2-swe	10-60-710	09/27/2016	181.39	.00	
7770	TITAN MACHINERY INC	8448864	Invoi	hose reel spring rewind single	52-40-680	10/10/2016	1,482.27	.00	
Total TITAN MACHINERY INC:							1,663.66	.00	
<b>TORRINGTON EMPLOYEES INSURANCE</b>									
7880	TORRINGTON EMPLOYE	0916 FLEX CO	Invoi	9/16 Select Flex Contributions	10-22760	11/02/2016	2,148.48	2,148.48	11/02/2016
7880	TORRINGTON EMPLOYE	1016 FLEX CO	Invoi	10/16 Select Flex Contributions	10-22760	11/02/2016	2,148.48	2,148.48	11/02/2016
Total TORRINGTON EMPLOYEES INSURANCE:							4,296.96	4,296.96	
<b>U S POSTMASTER</b>									
8160	U S POSTMASTER	131	Invoi	Credit for postage	10-44-210	11/15/2016	472.22	.00	
8160	U S POSTMASTER	131	Invoi	Credit for postage	54-40-210	11/15/2016	188.89	.00	
8160	U S POSTMASTER	131	Invoi	Credit for postage	52-40-210	11/15/2016	188.89	.00	
Total U S POSTMASTER:							850.00	.00	
<b>UNITED TELEPHONE COMPANY OF THE WEST</b>									
8200	UNITED TELEPHONE CO	313643443 101	Invoi	data line/911	10-54-897	10/25/2016	1,276.64	1,276.64	11/09/2016
8200	UNITED TELEPHONE CO	313766217 101	Invoi	data line/police dept	10-54-250	10/25/2016	6.08	6.08	11/09/2016
8200	UNITED TELEPHONE CO	314026664 101	Invoi	business primary line bundle	10-55-250	10/25/2016	238.32	238.32	11/09/2016
8200	UNITED TELEPHONE CO	426857701 101	Invoi	data line/security	10-52-250	10/23/2016	36.31	36.31	11/09/2016
Total UNITED TELEPHONE COMPANY OF THE WEST:							1,557.35	1,557.35	
<b>VALENT, KYLE</b>									
65	VALENT, KYLE	15.02024.15 11	Invoi	final billing - deposit return	53-22900	11/09/2016	14.64	.00	
Total VALENT, KYLE:							14.64	.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>WALTON, JAMES H</b>									
8565	WALTON, JAMES H	27	Invoi	AIRPORT ASSIST CONTRACT	55-40-300	11/11/2016	1,500.00	.00	
Total WALTON, JAMES H:							1,500.00	.00	
<b>WAYNE COLEMAN CONSTRUCTION INC</b>									
8611	WAYNE COLEMAN CONS	PAY REQ 1 DE	Invoi	city shop storm sewer & detention	10-61-885	11/02/2016	8,100.00	8,100.00	11/02/2016
Total WAYNE COLEMAN CONSTRUCTION INC:							8,100.00	8,100.00	
<b>WEGLIN JR., ED</b>									
8617	WEGLIN JR., ED	103116	Invoi	mow & trim 1402 West A	51-75-700	10/31/2016	54.00	.00	
8617	WEGLIN JR., ED	103116	Invoi	Mow/Trim city lift station	52-40-700	10/31/2016	120.00	.00	
Total WEGLIN JR., ED:							174.00	.00	
<b>WESTERN COOPERATIVE COMPANY</b>									
8667	WESTERN COOPERATIV	21586	Invoi	conoco super sta oil x4	10-14200	10/11/2016	95.60	.00	
8667	WESTERN COOPERATIV	21587	Invoi	oil-steel belt	54-40-820	10/11/2016	336.05	.00	
Total WESTERN COOPERATIVE COMPANY:							431.65	.00	
<b>WESTERN PATHOLOGY CONSULTANTS, INC</b>									
8700	WESTERN PATHOLOGY	0040443-IN	Invoi	FMCSA policy assurance update-	10-58-530	10/31/2016	75.00	.00	
8700	WESTERN PATHOLOGY	S 115378	Invoi	drug screen, urine collection	10-65-300	10/31/2016	62.10	.00	
8700	WESTERN PATHOLOGY	S 115378	Invoi	drug screen, urine collection	52-40-530	10/31/2016	62.10	.00	
8700	WESTERN PATHOLOGY	S 115378	Invoi	drug screen, urine collection	54-45-300	10/31/2016	52.10	.00	
8700	WESTERN PATHOLOGY	S 115378	Invoi	drug screen, urine collection	51-75-530	10/31/2016	62.10	.00	
Total WESTERN PATHOLOGY CONSULTANTS, INC:							313.40	.00	
<b>WESTERN UNITED ELECTRIC SUPPLY</b>									
8755	WESTERN UNITED ELEC	4086086	Invoi	12' bracket & arm for wood polesx	53-82-790	09/14/2016	3,470.75	.00	
8755	WESTERN UNITED ELEC	4087850	Invoi	12' bracket & arm for wood polesx	53-82-790	10/24/2016	3,470.75	.00	
Total WESTERN UNITED ELECTRIC SUPPLY:							6,941.50	.00	
<b>WITMER PUBLIC SAFETY GROUP INC</b>									
8840	WITMER PUBLIC SAFETY	E1519675	Invoi	helmt-mounted dual light flashlight	10-55-530	10/27/2016	340.95	.00	
Total WITMER PUBLIC SAFETY GROUP INC:							340.95	.00	
<b>WRIGHT, JERRY W.</b>									
8860	WRIGHT, JERRY W.	145	Invoi	AIRPORT CONTRACT	55-40-300	11/15/2016	1,575.00	.00	
Total WRIGHT, JERRY W.:							1,575.00	.00	
<b>WYOMING CHILD SUPPORT</b>									
8951	WYOMING CHILD SUPPO	110216	Invoi	PAYROLL WITHHOLDING	10-22705	11/02/2016	230.76	230.76	11/02/2016
8951	WYOMING CHILD SUPPO	110216A	Invoi	PAYROLL WITHHOLDING	10-22705	11/02/2016	262.61	262.61	11/02/2016
Total WYOMING CHILD SUPPORT:							493.37	493.37	
<b>WYOMING DEPT OF TRANSPORTATION</b>									
9030	WYOMING DEPT OF TRA	6812612 11041	Invoi	transfer amb#MS51 license plate-	58-40-680	11/04/2016	2.00	2.00	11/09/2016
Total WYOMING DEPT OF TRANSPORTATION:							2.00	2.00	

Vendor	Vendor Name	Invoice Number	Type	Description	GL Account #	Invoice Date	Invoice Amt	Amount Paid	Date Paid
<b>WYOMING MACHINERY</b>									
9150	WYOMING MACHINERY	PO 4704565	Invoi	filtersx2, elementsx3, gasket	10-60-710	10/01/2016	127.36	.00	
Total WYOMING MACHINERY:							127.36	.00	
<b>WYRULEC COMPANY</b>									
9370	WYRULEC COMPANY	3579 1016	Invoi	LANDFILL ELECTRIC(2meters) 1	54-45-410	11/10/2016	254.34	254.34	11/09/2016
Total WYRULEC COMPANY:							254.34	254.34	
Grand Totals:							776,022.48	677,029.99	

Dated: \_\_\_\_\_

Mayor: \_\_\_\_\_

City Council: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

City Recorder: \_\_\_\_\_

Report Criteria:

Detail report.

Invoices with totals above \$0.00 included.

Paid and unpaid invoices included.